

# Why do mushrooms weep?

Erast Parmasto<sup>1</sup>  
& Andrus Voitk<sup>2</sup>

All life is energy dependent. Most large multicellular organisms break down their food into simple sugars, which are used to release the energy required for life. This is the catabolic part of metabolism. Its other end products, if following an oxidative pathway, are carbon dioxide and water. We breathe out not only carbon dioxide, but also a large amount of water as a gas into the atmosphere. This is why we can see our breath on cold days: the warm water vapor condenses on contact with the colder outside air, and becomes visible as a cloud of small water droplets. On really cold days these droplets freeze into solid ice when they come into



Figure 1. Water from breath, settling as ice crystals on clothing and hair after skiing for two hours at  $-47^{\circ}\text{C}$ ; Inuvik, NWT, Canada.

contact with colder surfaces, accounting for frost on clothing and hair during subzero weather. The amount of frost increases if we increase our metabolic rate by physical activity (Figure 1).

Carbon dioxide and water are metabolic products for many fungi as well, which several exude invisibly from their surface. During periods of rapid growth, metabolism speeds up. In those periods some mushrooms form visible drops on their surface.



Figure 2. Rapidly growing very young fruitbody of the European *Fomitopsis pinicola*, showing copious water droplets; Kesselaid Forest, Estonia. Photo: Kristiina Veltmander. Guttation is characteristic for this species in northern Europe, but not in Newfoundland.

This is called guttation, a term used in botany to describe the process by which plants excrete excess water through drops from their leaves. For some mushrooms this is so common that it is a reliable identification feature, while for others it is virtually unknown. Guttation is common among several

corticoid and many bracket fungi, as well as some stipitate hydroids, but relatively uncommon among gilled fungi and boletes, excepting a few Suilli. Differences in handling excess water by genetically different fungi should not be surprising, because chemical reactions directing physiological pathways are genetically programmed. An interesting example of this might be provided by the familiar *Fomitopsis pinicola*. In Estonia it is common for this polypore to weep weakly acid water during growth (Figure 2). In Newfoundland guttation by growing *F. pinicola* is uncommon. Breeding studies suggest that *F. pinicola* is a species complex of at least three morphologically similar species, one in Europe and two in North America. Is it possible that the genetic programming for guttation is present in the European species, but not in that found in Newfoundland? Guttation may provide macroscopic means to differentiate some cryptic species.



Figure 3. Actively growing *Hydnellum peckii* with red droplets; Gros Morne National Park, Newfoundland and Labrador, Canada. The light color and soft texture of the fruitbody indicates that it is actively growing.

*Continued on page 16.*



Figure 4. Actively growing *Hydnellum multiceps*; Gros Morne National Park, Newfoundland and Labrador, Canada. Again, the light color and soft texture of the fruitbody indicate that it is growing rapidly.

*Hydnellum peckii* is well known for its droplets (Figure 3). These are usually colored red by terphenylquinone dye (or a derivative), a pigment produced by this genus of mushrooms. Under favorable temperature and humidity, red droplets can also be seen in other members of the genus during active growth (Figure

4). Most guttating mushrooms produce clear droplets, often more viscid than water, suggesting that they also excrete other chemicals. Thus, under the right conditions *Stereum sanguinolentum* forms copious clear droplets (title banner); although it contains red latex, the pigment is not exuded with guttation.

Just as we make frost when exhaling water vapor in subzero air, rapidly metabolizing mushrooms that have developed during periods of winter thaw can also form ice under certain temperature fluctuations. As the air cools after sunset, metabolism slows down. The mushroom's surface cools

Enrich your fungal library with  
the first contemporary anthology of mushroom poetry!

Gathered from the root-zones of many different trees, knife-scraped from rock-face, lifted from dung, spore-flung into air, these gathered mushroom poems offer undomestic, distinctive discoveries to all who choose to join the effort to find them.  
—Jane Hirshfield

Order from Amazon or your local bookstore.  
For signed copies send \$21(\$18 for additional copies,  
30% discount for Mushroom Club orders of 5 copies or more)  
Kelly Chadwick  
720 West Park Place  
Spokane, WA 99205



Figure 5. Young *Auricularia americana* photographed on an early February morning; Humber Village, Newfoundland and Labrador, Canada. Note thin sheet of ice covering underside and a 20% rim of the upper surface.

drops below freezing, the water freezes. This can be documented in the early morning, before the sun has warmed the air enough to melt the ice (Figure 5).

Very little investigation of fungal guttation has been done. There

scientifically. Without such studies, the question of the title must be considered unanswered. In the interim, ascribing the water to an increased metabolic rate offers a felicitous and plausible explanation, inviting to be tested.

<sup>1</sup>Department of Mycology, Institute of Agricultural and Environmental Sciences, Estonian University of Life Sciences, Tartu, Estonia.)

<sup>2</sup>Foray Newfoundland & Labrador, Humber Village, Newfoundland and Labrador, Canada ☞

before its core and if some metabolism continues in the core, exuded water vapor might condense to liquid water on contact with this cooler surface. Because humidity is high during a thaw and saturation increases as air cools, there is little evaporation, and as the temperature

may be many reasons for droplet formation, but the association of this phenomenon with rapid growth is well known, albeit a causal relationship has not been confirmed

# SAM RISTICH

MUSHROOM GURU • NATURALIST

ECOLOGIST • ENTOMOLOGIST •

PHOTOGRAPHER • CONSERVATIONIST

TEACHER • MENTOR • MOTIVATOR

To order posters: [www.samristich.com](http://www.samristich.com)

18" x 24" • \$25 UNFRAMED • \$115 FRAMED

Proceeds benefit Sam Ristich Archive Fund

**The Hoosier Mushroom Company**

[www.hoosiermushrooms.com](http://www.hoosiermushrooms.com)

**Retail Store:**  
30 E. Washington St.  
Nashville, IN  
(812)988-6926

**Over 25 Varieties of Mushrooms**  
Morel, Shiitake, Porcini, Chanterelle, Oyster, Portabella

**Mushroom Hunting Supplies**  
Walking Sticks, Bags, Baskets, Journals, Knives, Books

**Cultivation Supplies**  
Home Harvesters, Lab Supplies, Environmental Control

**Plug Spawn**  
Shiitake, Pearl Oyster, Lion's Mane, Maitake, Reishi

**Huge Selection of Truffle Products**  
Fresh Truffles - Truffle Oil, Honey, Butter, Flour, Pasta & More